

Kerr Material Safety Data Sheet

Temphase Base and Catalyst Paste

Product and company identification

Product name : Temphase Base and Catalyst Paste

: Dental product: Temporary Crown and Bridge material **Material uses**

: Kerr Corporation Manufacturer

> 1717 West Collins Avenue Orange, CA 92867-5422

Telephone no.: 1-800-KERR-123

: CHEMTREC® (24 hours) U.S.: 1-800-424-9300 In case of emergency International: +1-703-527-3887

2. Hazards identification

: Liquid. [Paste.] **Physical state**

Color : Various

Odor : Fruity ester-like

Emergency overview

Signal word : WARNING!

Hazard statements : CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL

> IF SWALLOWED. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. BIRTH DEFECT HAZARD - CAN CAUSE BIRTH DEFECTS. DEVELOPMENTAL HAZARD - CAN CAUSE ADVERSE

DEVELOPMENTAL EFFECTS. REPRODUCTIVE HAZARD.

Precautions : Health effects are based on the uncured material. Avoid exposure - obtain special

> instructions before use. Do not breathe vapor or mist. Do not ingest. Do not get on skin or clothing. Avoid contact with eyes. Avoid exposure during pregnancy. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use.

Wash thoroughly after handling.

: Dermal contact. Eye contact. Inhalation. Ingestion. Routes of entry

Potential acute health effects

: Irritating to respiratory system. Exposure to decomposition products may cause a Inhalation

health hazard. Serious effects may be delayed following exposure.

Ingestion : Harmful if swallowed.

Skin : Irritating to skin. **Eyes** : Irritating to eyes.

Potential chronic health effects

Chronic effects : Contains material that may cause target organ damage, based on animal data.

Carcinogenicity No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards.

Teratogenicity Can cause birth defects.

Developmental effects : Can cause developmental abnormalities.

Fertility effects : Can impair fertility.

Target organs : Contains material which may cause damage to the following organs: kidneys, the

nervous system, the reproductive system, liver, gastrointestinal tract, upper respiratory

tract, skin, eye, lens or cornea, testes.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

5/15/2015 Canada 1/8

2. Hazards identification

Ingestion: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Skin : Adverse symptoms may include the following:

irritation redness reduced feta

reduced fetal weight increase in fetal deaths skeletal malformations

Eyes : Adverse symptoms may include the following:

pain or irritation

watering reduced for

reduced fetal weight increase in fetal deaths skeletal malformations

Medical conditions aggravated by overexposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

3. Composition/information on ingredients

Name	CAS number	%
glass, oxide, chemicals	65997-17-3	30-60
(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate	24448-20-2	10-30
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl	72869-86-4	10-30
bismethacrylate		
dibutyl phthalate	84-74-2	1-5
3-trimethoxysilylpropyl methacrylate	2530-85-0	1-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Eye contact : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.

Skin contact : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.

: No special measures required. If inhaled, remove to fresh air. Get medical attention if

symptoms occur.

: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.

In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Antidote information

Protection of first-aiders

Inhalation

Ingestion

Product/ingredient name	Antidote information
No antidote information known	

First aid measures 4.

Notes to physician

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous thermal decomposition products Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides metal oxide/oxides

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

Environmental precautions

Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Handling and storage 7.

Handling

: No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. **Exposure controls/personal protection**

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
glass, oxide, chemicals	US ACGIH 4/2014	-	5 10	-	-	-	-	-	-	-	[a] [b]
dibutyl phthalate	US ACGIH 4/2014 AB 4/2009 BC 4/2014 ON 1/2013	- - -	5 5 5	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
	QC 1/2014	-	5	-	-	-	-	-	-	-	

8. Exposure controls/personal protection

Form: [a]Respirable [b]Total dust

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Engineering measures

: No special measures are required for small quantities under normal and intended conditions of product use.

Hygiene measures

: No special measures are required for small quantities under normal and intended conditions of product use.

Personal protection

Respiratory

: No special measures are required for small quantities under normal and intended conditions of product use.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin

: No special measures are required for small quantities under normal and intended conditions of product use.

Environmental exposure controls

Odor threshold

Evaporation rate

: No special measures are required for small quantities under normal and intended conditions of product use.

9. Physical and chemical properties

Physical state: Liquid. [Paste.]Flash point: Not available.Auto-ignition temperature: Not available.Flammable limits: Not available.

Color Various Odor : Fruity ester-like pН Not available. **Boiling/condensation point** : Not available. **Melting/freezing point** : Not available. **Relative density** : 1.5 [Water = 1] **Density** Not available. : Not available. Vapor pressure Vapor density : Not available.

Viscosity : Not available.

Solubility : Insoluble in the following materials: cold water and hot water.

Not available.Not available.

LogK_{ow}: Not available.

10. Stability and reactivity

Chemical stability

Conditions to avoid

Incompatible materials

: The product is stable.

: Keep away from heat. Heat can cause polymerization with rapid release of energy.

Reactive or incompatible with the following materials: oxidizing materials and reducing

materials.

Amines. Peroxide.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

Possibility of hazardous

reactions

not be produced.
Under normal conditions of storage and use, hazardous reactions will not occur.
Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
(1-methylethylidene)bis(4, 1-phenyleneoxy-2, 1-ethanediyl) bismethacrylate	LD50 Oral	Rat	>5000 mg/kg	-
dibutyl phthalate	LD50 Dermal LD50 Oral	Rabbit Rat	>25000 mg/kg 7499 mg/kg	-
3-trimethoxysilylpropyl methacrylate	LD50 Oral	Rat	23504 mg/kg	-

Conclusion/Summary

Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

Chronic toxicity

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
3-trimethoxysilylpropyl methacrylate	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitizer

Not available.

Conclusion/Summary: Not available.

Skin : Kligman score: Grade I (weak sensitizer)

Carcinogenicity

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
glass, oxide, chemicals Silica, amorphous, fumed,	A4	3	-	-	-	-
crystfree						

Mutagenicity

Not available.

Conclusion/Summary :

: Not mutagenic in Ames test.

Teratogenicity

Not available.

Reproductive toxicity

Not available.

12. Ecological information

Ecotoxicity

: This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
dibutyl phthalate	Acute EC50 3.4 μg/l Marine water Acute EC50 2990 μg/l Fresh water Acute LC50 480 μg/l Fresh water	Algae - Gymnodinium breve Daphnia - Daphnia magna Fish - Lepomis macrochirus - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 48 hours 96 hours
	Chronic NOEC 210 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Chronic NOEC 500 μg/l Fresh water Chronic NOEC 25 μg/l Fresh water	Daphnia - Daphnia magna Fish - Danio rerio - Embryo	21 days 5 weeks

Persistence/degradability

Not available.

Partition coefficient: n-

octanol/water

Mobility

: Not available.

Bioconcentration factor

Not available.Not available.

Toxicity of the products of

biodegradation

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
TDG Classification	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl phthalate). Marine pollutant (dibutyl phthalate)	9	III		Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail. Explosive Limit and Limited Quantity Index 5 Special provisions 16

Temphase Base and Catalyst Paste 14. Transport information								
IATA-DGR Class	UN3082	Environmentally hazardous substance, liquid, n.o.s. (dibutyl phthalate)	9	III	***************************************	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. Passenger and Cargo AircraftQuantity limitation: 450 L Packaging instructions: 964 Cargo Aircraft Only Quantity limitation: 450 L Packaging instructions: 964 Limited Quantities - Passenger AircraftQuantity limitation: 30 kg Packaging instructions: y964 Special provisions A97, A158, A197		

PG*: Packing group

15. Regulatory information

United States inventory (TSCA 8b)

: All components are listed or exempted.

WHMIS (Canada)

: Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists

Canadian NPRI : The following components are listed: Dibutyl phthalate

CEPA Toxic substances

: None of the components are listed.

Canada inventory

: Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

International lists

: Australia inventory (AICS): Not determined. China inventory (IECSC): Not determined.

Japan inventory: Not determined. **Korea inventory**: Not determined.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined. Taiwan inventory (CSNN): Not determined.

Temphase Base and Catalyst Paste

15. Regulatory information

Chemical Weapons

Convention List Schedule

I Chemicals

Chemical Weapons
Convention List Schedule

Il Chemicals

Chemical Weapons

Convention List Schedule III Chemicals

: Not listed

: Not listed


: Not listed

16. Other information

Label requirements

: CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. BIRTH DEFECT HAZARD - CAN CAUSE BIRTH DEFECTS. DEVELOPMENTAL HAZARD - CAN CAUSE ADVERSE DEVELOPMENTAL EFFECTS. REPRODUCTIVE HAZARD.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Date of issue : 5/15/2015

Date of previous issue : No previous validation

Version : 1

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.