

SAFETY DATA SHEET

Issuing Date 25-Oct-2018

Revision Date 25-Oct-2018

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Spa Dent Whitening

Other means of identification

Product Code(s) 1476539

Recommended use of the chemical and restrictions on use

Recommended Use Dental whitening gel

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Spa Dent Inc.

Address 254-55 Northfield Drive East
WATERLOO
Ontario
N2K 3T6
CA

Telephone Phone:519-725-4025

E-mail info@spa-dent.com

Emergency telephone number

Company Emergency Phone Number 519-725-4025

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Oxidizing liquids	Category 3



Appearance Colorless**Physical state** Gel Liquid**Odor** Mint-like**GHS Label elements, including precautionary statements****Danger****Hazard statements**

Causes skin irritation
Causes serious eye damage
May intensify fire; oxidizer

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Keep away from heat
Keep/Store away from clothing/ combustible materials
Take any precaution to avoid mixing with combustibles
Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects.

Unknown acute toxicity 57.9 % of the mixture consists of ingredient(s) of unknown toxicity
21.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
57.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
57.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
57.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
57.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance**

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Supplier Trade Secret	-	20 - 30%	-	-
Supplier Trade Secret	-	20 - 30%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-

4. FIRST AID MEASURES

First aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use water. Do not use dry chemicals or foams. CO ₂ or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Dry chemical. Foam.
Specific hazards arising from the	These substances will accelerate burning when involved in a fire. Some may decompose

chemical	explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard.
Hazardous Combustion Products	Carbon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Use personal protective equipment as required.
Other Information	Keep combustibles (wood, paper, oil, etc) away from spilled material. Do not get water inside containers. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Dike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Stop leak if you can do it without risk.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse.
--------------------------------	---

Conditions for safe storage, including any incompatibilities



Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Supplier Trade Secret	TWA: 10 mg/m ³ mist	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction		
Supplier Trade Secret	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³	
Supplier Trade Secret	TWA: 5 mg/m ³	-		
Supplier Trade Secret	STEL: 2 mg/m ³ fume TWA: 1 mg/m ³ fume	TWA: 1 mg/m ³ fume (vacated) TWA: 1 mg/m ³ fume (vacated) STEL: 2 mg/m ³ fume	IDLH: 50 mg/m ³ fume TWA: 1 mg/m ³ fume STEL: 2 mg/m ³ fume	
Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Supplier Trade Secret	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³		TWA: 10 mg/m ³
Supplier Trade Secret	TWA: 1 ppm TWA: 1.4 mg/m ³	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³
Supplier Trade Secret	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 0.5 ppm TWA: 3.1 mg/m ³	TWA: 5 mg/m ³
Supplier Trade Secret	TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Tight sealing safety goggles.

Hand protection

Wear suitable gloves. Impervious gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.



Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Gel; Liquid
Appearance	Colorless
Odor	Mint-like
Color	No information available
Odor Threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	6.5	
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.7368	
Water Solubility	Partially soluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other Information

Explosive properties	No information available
Oxidizing properties	No information available
Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

10. STABILITY AND REACTIVITY

Reactivity	oxidizer.
Chemical stability	May cause fire or explosion; strong oxidizer.
Possibility of Hazardous Reactions	None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Incompatible materials.
Incompatible materials	Organic material. Combustible material. Hydrocarbons. Strong acids. Strong bases. Strong oxidizing agents.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Severely irritating to eyes. May cause burns. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	11,392.50 mg/kg
ATEmix (dermal)	88,027.30 mg/kg
ATEmix (inhalation-gas)	43,056.80 mg/L
ATEmix (inhalation-dust/mist)	19.10 mg/L
ATEmix (inhalation-vapor)	105.20 mg/L

Unknown acute toxicity 57.9 % of the mixture consists of ingredient(s) of unknown toxicity

- 21.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 57.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 57.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 57.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 57.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h
Supplier Trade Secret	= 1518 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m ³ (Rat) 4 h
Supplier Trade Secret	= 4190 mg/kg (Rat)	> 16 mL/kg (Rat) > 20000 mg/kg (Rabbit)	-
Supplier Trade Secret	= 1100 mg/kg (Rat)	-	<= 1975 mg/m ³ (Rat) 10 min

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	A3	Group 3	-	-
Supplier Trade Secret	-	Group 3	-	-

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret	-	96h LC50: 51 - 57 mg/L (Oncorhynchus mykiss)	-	24h EC50: > 500 mg/L
Supplier Trade Secret	72h EC50: = 2.5 mg/L (Chlorella vulgaris)	96h LC50: 18 - 56 mg/L (Lepomis macrochirus) 96h LC50: 10.0 - 32.0 mg/L (Oncorhynchus mykiss) 96h LC50: = 16.4 mg/L (Pimephales promelas)	-	24h EC50: = 7.7 mg/L 48h EC50: 18 - 32 mg/L
Supplier Trade Secret	96h EC50: = 169 mg/L (Desmodesmus subspicatus) 72h EC50: = 216 mg/L (Desmodesmus subspicatus)	96h LC50: > 1000 mg/L (Pimephales promelas) 96h LC50: 10600 - 13000 mg/L (Pimephales promelas) 96h LC50: 450 - 1000 mg/L (Lepomis macrochirus)	-	24h EC50: = 1386 mg/L

Persistence and Degradability No information available.

Bioaccumulation

Chemical name	Log Pow
Supplier Trade Secret	-1.76
Supplier Trade Secret	-2.53

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D001

California Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Supplier Trade Secret	Toxic Corrosive Ignitable Reactive
Supplier Trade Secret	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY
Hazard Class ORM-D
Description CONSUMER COMMODITY, ORM-D
Emergency Response Guide Number 140

TDG

UN-No. UN2984
Proper Shipping Name HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class 5.1
Packing Group III
Description UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III

MEX

UN-No. UN2984
Proper Shipping Name HYDROGEN PEROXIDE, AQUEOUS SOLUTION



Hazard Class	5.1
Packing Group	III
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III

ICAO

UN-No.	UN2984
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Packing Group	III
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III

IATA

UN-No.	UN2984
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Packing Group	III
ERG Code	5L
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III

IMDG/IMO

UN-No.	UN2984
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Packing Group	III
EmS-No.	F-H, S-Q
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III

RID

UN-No.	UN2984
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Packing Group	III
Classification code	O1
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III
ADR/RID-Labels	5.1

ADR

UN-No.	UN2984
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Packing Group	III
Classification code	O1
Tunnel restriction code	(E)
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III, (E)

ADN

UN-No.	UN2984
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Packing Group	III
Classification code	O1
Special Provisions	65
Description	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, III
Hazard Labels	5.1
Limited Quantity	5 L

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations**Ozone-depleting substances (ODS)** Not applicable**Persistent Organic Pollutants** Not applicable**Export Notification requirements** Not applicable**International Inventories**

TSCA Contact supplier for inventory compliance status.
DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		0 - 10%	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret	X	X	X	X
Supplier Trade Secret	1000 lb	X		X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret		1000 lb	



Supplier Trade Secret	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
-----------------------	---------	--	---

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	X	X	X	X	
Supplier Trade Secret	X				
Supplier Trade Secret	X	X	X	X	
Supplier Trade Secret	X	X	X		
Supplier Trade Secret	X	X	X	X	

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical Properties OX
HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal Protection X

Prepared By Product Stewardship
 23 British American Blvd.
 Latham, NY 12110
 1-800-572-6501

Issuing Date 25-Oct-2018

Revision Date 25-Oct-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

