



SDS Emergency
www.micrylium.com

CANUTEC
613-996-6666
CHEMTREC
800-424-9300

Effective Date October 01, 2016
Document/Revision SDS Lines 1.4

1 Identification		Lines		Indication		Coolant-Lubricant for Potable Water Instrumentarium		
Manufacturer		Micrylium Laboratories Inc. 5000M Dufferin Street, Toronto, Canada M3H 5T5 416-667-7040						
2 Hazard Identification		Health Hazard Identification		Physical Hazard Identification		Environmental Hazard Identification		
		No serious Health Hazards		None		Biodegradable, No Endocrine Disruptors		
Hazardous Component		CAS#	UN#	R Phrases	Concentration	TLV		
None		None	None	None	None	None		
3 Composition Chemical Characterization USP Ethanol 9.5%, Xylitol, Chlorhexidine Gluconate, Water with Non-Ionic Surfactants								
4 First Aid Measures								
General		Inhalation		Ingestion				
Rinse with water		Mild reversible irritation.		Drink quantities of milk or water to dilute. Do not induce vomiting.				
Skin contact		Eye contact						
No adverse effects.		Flush with plenty of water						
5 Fire Fighting Measures								
Use dry chemical, Alcohol Foam or CO ₂ . Use water spray to disperse vapours and cool items								
6 Accidental Release Measures								
No specific measures are necessary provided vapours are not permitted to build up								
7 Handling & Storage								
Store in a cool, dry well ventilated location. Keep away from heat, sparks and flame. DO NOT mix with Bleach or Peroxides. Storage & Transport 5° - 30° C								
8 Exposure Controls-Personal Protection								
No specific measures required. Personal Protective Equipment not required.								
9 Physical & Chemical Properties								
Form	Colour	Scent	Solidification point	Boiling point	Flash Point	Density	pH	Kinematic Viscosity mm²/s
Liquid	Light blue	Mint	-5°C	105°C	45°C	.99	6.0	12
10 Stability & Reactivity								
Stable under normal conditions.								
Incompatibility Strong oxidants, acid chlorides, silver salts				Decomposition products CO ₂ CO				
11 Toxicological Data								
Acute Dermal LD ₅₀ >5000 mg/kg; Acute Inhalation rat LC ₅₀ : 2.3 mg/L; Not found to be a dermal sensitizer: Acute Oral LD ₅₀ >5000 mg/kg; Ocular Irritation 0.0 after 7 Days. Tests performed by Product Safety Labs, Dayton, NJ Grain derived Ethanol USP All Ingredients Food or Pharma Grade								
Reproductive Hazards None				Carcinogenicity None				
12 Ecological Information								
All ingredients USP Pharma or Food Grade								
Soil Readily biodegrades		Water Readily biodegrades		Air Slightly Volatile		Disposal Domestic		
13 Disposal considerations Domestic, No restrictions.								
14 Transport Information								
Land Not Regulated			Sea Not Regulated			IATA Not Regulated		
15 Regulatory								
TSCA -No reporting required all ingredients are listed in inventory. CERCLA - No hazardous pollutants - No Ozone depletion								
16 Other Information								
The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to information and recommendations contained herein.								