

Safety Data Sheet: Dental Prophylaxis Paste with Sodium Fluoride

SECTION 1: IDENTIFICATION

Product Name: Dental Prophylaxis Paste with Fluoride

Catalog Numbers: 10031-CCH, 10031-CM, 10031-CPC, 10031-FBG, 10031-FM, 10031-MCH
10031-MM, 10031-MPC, 10047-CCH, 10047-CM, 10047-CPC, 10047-CRB
10047-FBG, 10047-FM, 10047-MCH, 10047-MM, 10047-MPC

Product Classification: Prophylaxis Paste

Active Ingredient: Sodium Fluoride

Manufactured By: A.R. Medicom Inc.
1200 55th Avenue,
Montreal, Quebec H8T 3J8

Issue Date: 01-Dec-2014

Supersedes Date: None

Product Use: For cleaning and polishing procedures as a part of a professionally administered prophylaxis treatment.

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This information is based on findings from related and/or similar materials

- Will cause eye irritation
- May cause skin irritation
- Prolonged exposure may cause respiratory system irritation
- Ingestion may cause nausea, vomiting, headache, or dizziness
- Please read entire SDS for additional information



Potential Health Effects, Signs, and Symptoms of Exposure:

Eye: Splashing into eye may cause redness of the eye.

Skin: Repeated/prolonged contact with skin may cause irritation of the skin. Symptoms include: redness, burning, itching.

Inhalation: Fine/small particles, if inhaled, may lead to respiratory irritation. Symptoms include: a feeling of tightness of the chest.

Ingestion: Ingesting small amounts during normal handling and use is not likely to cause harmful effects. Symptoms include: nausea, vomiting, headache, or dizziness.

Please refer to Section 11, *Toxicological Information* for details



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical ID | CAS # | EINECS # | INCI Name | Exposure OSHA (TWA/STEL) | Limits ACGIH | Carcinogen | % (By Weight) |
|-----------------|----------|-----------|-----------------|---|-------------------------------------|------------|---------------|
| Sodium Fluoride | 761-49-4 | 231-667-8 | Sodium Fluoride | 3ppm/6ppm | 2.5mg/m ³ | Not Listed | 2 - 3 |
| Glycerol | 56-81-5 | 200-289-5 | Glycerin | (as respirable, mist) TWA=5mg/m ³ | (as mist) TWA=5mg/m ³ | Not Listed | 20 - 40 |

Sodium Fluoride: Danger Symbol: GHS06 (T), GHS07 (Xi)
 Hazard Statement: H301 (R25), EUH032 (R32), H315 (R38), H319 (R36)
 Precautionary Statement: P102 (S2), P260 (S23), P280 (S36/37/39), P309+314 (S45)

Glycerin: Danger Symbol: GHS07 (Xi)
 Hazard Statement: H315 (R38), H319 (R36)
 Precautionary Statement: P404 (S7), P403+235 (S3/9)

Please refer to Section 16 for *Hazard and Precautionary Statement Key*

SECTION 4: FIRST AID MEASURES

The following first aid recommendations are based on an assumption that appropriate personal hygiene and industrial hygiene practices are followed.

- Eye Contact:** Flush eyes with large amounts of water, including under eyelids. If signs/symptoms persist, seek medical attention.
- Skin Contact:** Wash thoroughly with soap and water. Remove contaminated clothing. If signs/symptoms persist, seek medical attention.
- Inhalation:** Move into fresh air. If having difficulty breathing, administer oxygen. If signs/symptoms persist, seek medical attention.
- Ingestion:** Induce vomiting and seek medical attention. In the case of a child who has swallowed approximately 10g of paste, seek **immediate** medical attention. In the case of an adult who has swallowed approximately 100g of paste, seek **immediate** medical attention.

SECTION 5: FIRE FIGHTING MEASURES

| Flash Point (°F/°C) | Flammable Limit (vol%) | Auto-Ignition Temperature (vol%) |
|---------------------|------------------------|----------------------------------|
| N/A | N/A | N/A |

- Extinguishing Media:** Suitable extinguishing material for the surrounding fire should be used.
- Firing Fighting Instruction:** During a fire, irritating or highly toxic gases may be generated by thermal decomposition. If potential for exposure, wear complete personal protective equipment, including: self-contained breathing apparatus. Fight fire from a safe distance.
- Unusual Hazards:** Evacuate all personnel.



SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Release Procedures

- Minor Spills:** Clean-up immediately, avoid contact with skin and eyes. Mop area and clean with soapy water.
- Major Spills:** Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, mop/s. Collect contaminated water squeegee area with soapy water and dispose of properly.

SECTION 7: HANDLING AND STORAGE

- Handling:** Limit all unnecessary a contact. Avoid breathing dust/vapors. Wear appropriate PPE.
- Storage:** Store in a cool, well ventilated area away from heat, sparks, and flame. Keep containers closed when not in use. Keep in original container provided by manufacturer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** General exhaust is adequate under normal operating conditions.
- General PPE:** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment done in accordance with OSHA PPE Standard (229CFR1910.132) or with European Standard EN166 , be completed before using this product.
- Eye/Face Protection:** Safety glasses/goggles, or splash shields, are required when handling. Ensure an eye-wash station is on-hand.
- Skin Protection:** No special equipment for minor exposure (i.e. when handling small quantities), but, it is recommended that impermeable clothing (gloves, apron, boots, or whole body suit) to prevent any contact with this product.
- Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Odor & Odor Threshold | pH | Specific Gravity | Viscosity | % Volatile | | |
|--------------------------------|---------------------------|---|------------------|----------------------------------|------------------|----------|----------------------------|
| Colored paste | Odor of Stated Flavor | 6 – 8 | (H2O = 1): N/A | N/A | N/A | | |
| Boiling Point / Freezing Point | Decomposition Temperature | Octanol/Water Partitioning Coefficient (Log Po/w) | Vapor Pressure | Vapor Density | Evaporation Rate | Ignition | Solubility in Water (20°C) |
| N/A | N/DA | N/DA | N/A | N/A | N/A | N/A | N/A |
| Flash Point (°F/°C) | | Flammable Limit | | Auto-Ignition Temperature (vol%) | | | |
| N/A | | N/A | | N/A | | | |



SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.
Materials and Conditions to Avoid: Strong Acids. Heat.
Hazardous Decomposition Products: Toxic Fumes (HF).
Hazardous Polymerization: Hazardous polymerization will not occur.

SECTION 11: TOXICOLOGY INFORMATION

| Active Oral Toxicity | Active Toxicity to Invertebrates | Acute Inhalation Toxicity | Irritation – Skin | Irritation - Eye |
|----------------------|----------------------------------|---------------------------|-------------------|------------------|
| N/DA | N/DA | N/DA | N/DA | N/DA |
| Sensitization | Mutagenicity | Sub-Chronic Toxicity | | |
| N/DA | N/DA | N/DA | | |

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological Information: Not determined.
Chemical Fate Information: Not determined.

SECTION 13: DISPOSAL CONSIDERATION

Dispose of in compliance with governmental regulations.
 Dispose of container and unused contents in accordance with local, state, and federal requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

SECTION 14: TRANSPORTATION INFORMATION

DOT (49CFR172)
 Proper Shipping Name: Non-Regulated Material
 Identification Number: N/A
 Marine Pollutant: No
 Special Provisions: N/A

Emergency Response Guidebook (ERG) #
 Proper Shipping Name: Non-Regulated Material
 Class or Division: N/A
 UN or ID Number: N/A
 Packaging Instructions: N/A

Emergency Response Guidance (ICAO) #
 Proper Shipping Name: Non-Regulated Material
 Class or Division: N/A
 UN or ID Number: N/A
 Special Provisions & Stowage/Segregation: N/A

Emergency Schedule (EMS) #: N/A



Other Information:

N/A

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

Clean Air Act HAP/ODS:

This product contains the following HAPs or ODSs:
NONE.

Clean Water Act: Priority Pollutant:

This product contains the following chemicals listed under the US Clean Water Act Priority Pollutant and Hazardous Substance List: **NONE.**

FDA: Food Packaging Status:

This product has not been cleared by the USFDA for use in food packaging and/or other applications as an indirect food-packaging additive.

Occupational Safety and Health:

This product is considered to be hazardous under the Its hazards are: **NONE.**

RCRA:

This product contains the following chemicals which are considered to be hazardous waste under RCRA (40CFR261): **NONE.**

SARA Title III: Section 302 (RQ):

This product contains no chemicals regulated under Section 302 as extremely hazardous substances.

SARA Title III: Section 304 (TPQ):

This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40CFR370). Its hazards are: **SODIUM FLUORIDE** (CAS # 7681-49-4, Corrosive).

SARA Title III: Section 311-312:

This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification (CERCLA List): **SODIUM FLUORIDE** (CAS # 7681-49-4, 1000 RQ #).

SARA Title III: Section 313:

This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40CFR372: **NONE.**

TSCA Section 8(b): Inventory:

This product contains chemicals listed on the TSCA Inventory, or otherwise complies with TSCA pre-manufacture notification requirements: **SODIUM FLUORIDE** (CAS # 7681-49-4).

TSCA Significant New Use Rule:

None of the chemicals in this material have an SNUR under TSCA.

State Regulations:

Contact E. C. Moore for more information

International Regulations:

CDSL: Canadian Inventory:

Sodium Fluoride (CAS # 7681-49-4)
Glycerol (CAS # 56-81-5)

**Labeling According to EC Directives – 1272/2008 (CLP) and 1999/45/EC
(items in parenthesis relate to 1999/45/EC)**

European Community:



- DANGER SYMBOLS: **GHS07 (Xi)** – *Warning/Irritant*
- HAZARD STATEMENTS: **H316 (N/A)**, Causes mild skin irritation; **H319 (R36)**, Causes serious eye irritation; **H335 (R37)**, May cause respiratory irritation; **H303 (N/A)**, May be harmful if swallowed.
- PRECAUTIONARY STATEMENTS: **P102 (S2)**, Keep out of reach of children; **P261 (S24)**, Avoid breathing dust/fumes/gas mist/vapor sprays; **P280 (S36/37/39)**, Wear protective gloves/clothing/eye protection/face protection; **P309+314 (S45)**, If exposed, or you feel unwell, seek medical advice/attention.

SECTION 16: OTHER INFORMATION

EU Classes and Risk/Safety Phases for Referenced Ingredients (See Section 2)

Items in parenthesis relate to 1999/45/EC

Danger Symbols:

GHS06 (T) – Toxic
GHS07 (Xi) – Warning/Irritant

Hazard Statements:

H301 (R25) – Toxic if swallowed
H315 (R38) – Causes skin irritation
H316 (N/A) – Causes mild skin irritation
H319 (R36) – Causes serious eye irritation
H335 (R37) – May cause respiratory irritation
H336 (R67) – May cause drowsiness or dizziness
EUH032 (R32) – Contact with acid liberates toxic gas
H303 (N/A) – May be harmful if swallowed


Precautionary Statements:

P102 (S2) – Keep out of reach of children
P261 (S24) – Avoid breathing dust/fumes/gas mist/vapor/sprays
P280 (S36/37/39) – Wear protective gloves/clothing/eye protection/face protection
P309+314 (S45) – If exposed, or you feel unwell, seek medical advice/attention
P309+314 (S45) – If exposed, or you feel unwell, seek medical advice/attention



Hazard Rating System (Pictograms)

NFPA:



HMIS:



The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, EC Moore assumes no responsibility and expressly disclaims liability for loss, damage, or expense arising out of any way connected with the handling, storage, use, or disposal of this product. This SDS was expressly prepared for this product. Use the materials only as directed. If the product is used as a component in another product, the information contained within this SDS may not be applicable.