1.0	Commercial Product Name and Supplier					
1.1	Commercial product name  Embrace™ WetBond™ Class V  Embrace™ WetBond™ First Coat  Embrace™ Esthetic Opaquer  Embrace™ WetBond™ Pit & Fissure Sealant  Embrace™ WetBond™ Pit & Fissure Sealant L  Embrace™ WetBond™ Seal-n-Shine™  Embrace™ WetBond™ Resin Cement	EM EM EM -ow Fill EM EM	ndes IVA2, EMVA3.5, EMVB2, EMVI IFC IOK, EMO1, EMO2, EMO3, EN IS, EMS3, EMSB, EMSW, EMS ISWLF,EMSWLFB ISNS, EMSNY ICA, EMCAR, EMCAR2, EMCI	IO4, EMO5 S3W, EMSWB		
1.2	Application / Use		Dental material for use by dental professional only.  851 Human health activity			
1.2.2						
1.2.3	Use Category		55			
1.3	Manufacturer  Pulpdent Corporation  80 Oakland Street Watertown, MA 02472 USA	Fa	lephone: 1 617 926-6666 x: 1 617 926-6262 nail: <u>Pulpdent@pulpdent.com</u>			
1.4	Emergency Telephone Number	1-	1-800-535-5053 (24 Hour / USA)			
1.5	Authorized European Representative	Pu W	vena Ltd. re Offices, Plato Close arwick, CV34 6WE ited Kingdom			
2.0	Hazards Identification					
2.1	Classification					
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Class Eye irritation STOT SE Skin irritation Skin sensitiza	2 3 2	Hazard Statement H319 H335 H315 H317		
2.1.2	Classification according to Directive 67/548/EEC	Irritant; Xi	R 36/37/38-43 (See SECTION	16 for full text of risk phrases		
2.2	GHS Label Elements Hazard Pictograms					
	<b>!</b>					
	Signal Word: WARNING Restricted to use by dental professional only.					
	Hazard Statements H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritation. H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction.					
	Precautionary Statements P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water	r for several mi	nutes.			

Trade Name: *EMBRACE™ Product Line* 

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

2.0		P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.					
3.0	Composition						
3.1		Chemical characterization of the preparation:		n: Acrylate ester monomers in two-part, glass-filled, dual-cure paste.			
3.2	Hazardous ingredients  CAS Number Name of the Ingredient		diant				
	CAS Number	Name of the ingre	ealent	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).	
	Proprietary	Uncured acrylate es monomers	ster	55-60%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2 STOT SE 3 Skin irritation, 2 Skin sensitization, 1	
	112945-52-5	Silica, amorphous		5 %	Irritant; Xi, R 36/37/38	Eye irritation, 2 STOT SE 3 Skin irritation, 2	
	7681-49-4	Sodium fluoride		<1%	Harmful (Xn);	Acute toxicity, 4	
					R22-36/38	Skin irritation, 2 Eye irritation, 2	
4.0	First Aid Measure	s					
4.1	General Information	1	May be irritating to eyes, respiratory system and skin. Do not inhale vapors May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.				
4.2	Inhalation			to fresh air. If nemedical attention.	cessary, administer	oxygen and/or artificial respiration.	
4.3	Skin Contact Take		Take	Take off contaminated clothing. Wash thoroughly with soap and water.			
4.4			Keep eyelids apart, flush with running water for 15+ minutes. Get medica attention.				
4.5	atten		attent		ting to mucous me	vomiting. Get immediate medical embranes. Never give anything by	
4.6	Precautions for first	Precautions for first responders Ventila		ate the area. Wear	eye and skin protec	ction.	
4.7	Information for phys	sicians					
	Symptoms		Irritation or redness in eyes, throat or on skin.				
	Hazards		May be irritating to eyes, respiratory system, skin or sensitizing by skin contact.				
	Treatment As a		As ab	As above under First Aid.			
5.0	Fire Fighting Meas	sures					
5.1	Suitable extinguish			arbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may led to keep fire exposed containers cool.		, or water fog. Water spray may be	
5.2	Extinguishing media	Extinguishing media to avoid Do no		Do not use direct water stream			
5.3	Special exposure h	Special exposure hazards in a fire Heat may cause polymerization with rapid release of energy.		release of energy.			

5.4	Special protective equipment for fire- fighters	Self-contained breathing apparat spray to prevent polymerization un	us. Cool exposed containers with water der fire conditions.	
6.0	Accidental Release Measures			
6.1	Personal precautions.	Wear safety glasses, gloves and lab coat.		
6.2	Environmental precautions	Avoid releasing large amounts of uncured material into the environment. Cured / set-up material is, to our knowledge, inert.		
6.3	Method for clean up		or wipe up spill with paper towels or cloths. container. Wash spill area with alcohol or	
7.0	Handling and Storage			
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct/strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F), contamination and cross contamination. Recap immediately after use.		
7.2	Storage	Store product tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition and extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.		
7.3	Specific uses	Dental restorative materials		
8.0	Exposure Controls / Personal Protecti	on		
8.1	Exposure limit values	PEL: Not established. TLV: Not e	stablished.	
8.2	Exposure controls			
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use.		
8.2.1.1	Respiratory protection	Good general ventilation will control airborne vapors from uncured material.		
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves.		
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses.		
8.2.1.4	Skin protection	Good personal hygiene and safet protect from exposure to uncured r	ty practices and wearing a lab coat should material.	
8.2.1.5	Other controls	Emergency eye wash fountain sho	Emergency eye wash fountain should be available. Wash hands after use.	
8.2.2	Environmental exposure controls	Cure material before disposing.		
9.0	Physical and Chemical Properties			
9.1	Characteristics			
9.1.1	Appearance /Color / Physical state	Embrace Product	Description	
	•	First Coat, Seal-n-Shine	Thin, clear liquid	
		Esthetic Opaquer	Opaque, thick paste: Bleach White, Off- White, Light Yellow, Pink, Dark Yellow	
		Pit and Fissure Sealant	Natural tooth shade or off-white thin paste.	
		Pit and Fissure Sealant, Low Fill	Off-white thin paste	
		Class V	Tooth-colored paste.	
		Resin Cement:	Two thin pastes: one white, one yellow.	

9.1.2	Odor	Faint, characteristic		
9.2	Important health, safety and environmental information			
9.2.1	pH	Not determined		
9.2.2	Boiling point	Not determined		
9.2.3	Flash point	Not determined		
9.2.4	Flammability (solid, gas)	Not applicable		
9.2.5	Explosive properties	Not applicable		
9.2.6	Oxidizing properties	Not determined		
9.2.7	Vapor pressure	< 1 mm Hg		
9.2.8	Specific gravity	Embrace First Coat: 1.420 Embrace Seal-n-Shine: 1.240 Embrace Opaquer: 1.780 Embrace Pit & Fissure Sealant: 1.575 Embrace Pit & Fissure Sealant, Low Fill: 1.160 Embrace Class V: 2.030 Embrace Resin Cement: Low Viscosity: 1.660 Embrace Resin Cement: Medium Viscosity: 1.400		
9.2.9	Solubility in water	Nil		
9.2.10	Partition coefficient	Not determined		
9.2.11	Viscosity	Not determined		
9.2.12	Vapor density	Not determined		
9.2.13	Evaporation rate	Not determined		
10.0	Stability and reactivity			
10.1	Conditions to avoid	Temperature > 38°C, intense light, cross-contamination.		
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.		
10.3	Hazardous decomposition products	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up release of carbon monoxide, carbon dioxide, and oxides of nitrogen.		
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.		
11.0	Toxicological information			
11.1	Acute toxicity	Not toxic. Minimal health hazard under normal conditions of use.		
11.2	Irritation and corrosiveness	May be irritating to eyes, respiratory tract, mucous membranes or skin on contact or with prolonged exposure.		
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.		
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals.		

11.5	Carcinogenicity, Mutagenicity, Reproductive	None known
	Toxicity Toxicity	
11.6	Empirical data	Not available
11.7	Clinical experience	Embrace products have been used safely and effectively by dentists in the US and internationally for more than 10 years with no reports of adverse events.
12.0	Ecological Information	
12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.
13.0	Disposal Considerations	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
14.0	Transport Information	
14.1	Restrictions	None. Not regulated.
15.0	Regulatory Information	
15.1	EU	Class IIa medical devices under MDD 93/42/EEC.
15.2	US FDA	Class II medical devices.
15.3	Health Canada	Class III medical devices
16.0	Other information	
16.1	List of relevant R phrases	R 36 / 3 7/ 38: Irritating to eyes, respiratory system and skin. R 43: Sensitizing by skin contact.
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard
		category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.
16.3	Precautionary Statements	category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2.

Pulpdent Corporation Revision Date: July 1, 2015

### **Safety Data Sheet**

16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)
		US Occupational Safety and Health Administration (OSHA)
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the GHS SDS format and the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.