

Safety Data Sheet acc. to OSHA HCS

Printing date 02/26/2015

Version CA-EN-Rev 1

Reviewed on 02/25/2015

1 Identification

- · Product identifier
- Trade name: GC Fuji IX GP (Powder, Shade: A2) GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)
- · Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental filling material
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

• Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void
- · Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

• Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials. Classification system:

• NFPA ratings (scale 0 - 4)



(Contd. on page 2)



acc. to OSHA HCS

Printing date 02/26/2015

Version CA-EN-Rev 1

Reviewed on 02/25/2015

Trade name: GC Fuji IX GP (Powder, Shade: A2) GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTHImage: 0FIREImage: 0REACTIVITYReactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void
- Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- · Description of first aid measures
- General information: No special measures required. If symptoms persist consult doctor.
- After inhalation: Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Rinse with warm water. If symptoms persist consult doctor.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

CA

acc. to OSHA HCS

Printing date 02/26/2015

Version CA-EN-Rev 1

Reviewed on 02/25/2015

Trade name: GC Fuji IX GP (Powder, Shade: A2) GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)

(Contd. of page 2)

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
- Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to penetrate the ground/soil.
 In case of seepage into the ground inform responsible authorities.
- Methods and material for containment and cleaning up: Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Observe instructions for use.
- Prevent formation of dust.
- Any deposit of dust which cannot be avoided must be regularly removed.
- Information about protection against explosions and fires:
- Dust can combine with air to form an explosive mixture.
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

CA -

Safety Data Sheet acc. to OSHA HCS

Version CA-EN-Rev 1

Reviewed on 02/25/2015

Trade name: GC Fuji IX GP (Powder, Shade: A2) GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)

(Contd. of page 3)

- Control parameters
 Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls

Printing date 02/26/2015

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed. Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Powder	
Color:	White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	

Safety Data Sheet acc. to OSHA HCS

Version CA-EN-Rev 1

Reviewed on 02/25/2015

Trade name: GC Fuji IX GP (Powder, Shade: A2) GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)

		(Contd. of page 4)
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

Printing date 02/26/2015

· Reactivity No further relevant information available.

· Chemical stability Stable at ambient temperature.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification: No further relevant information available.

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

poly(acrylic acid)

(Contd. on page 6)

3

acc. to OSHA HCS

Printing date 02/26/2015

Version CA-EN-Rev 1

Reviewed on 02/25/2015

Trade name: GC Fuji IX GP (Powder, Shade: A2)

GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)

(Contd. of page 5)

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, TDG, ADN, IMDG, IATA
- · UN proper shipping name

Void Void

· DOT, TDG, ADN, IMDG, IATA

(Contd. on page 7)

CA

acc. to OSHA HCS Version CA-EN-Rev 1

Reviewed on 02/25/2015

Trade name: GC Fuji IX GP (Powder, Shade: A2) GC Fuji IX GP CAPSULE (Powder, Shades: A2, A3, A3.5, B2, and B3)

		(Contd. of page
Transport hazard class(es)		
DOT, TDG, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, TDG, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	c II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	-	

15 Regulatory information

Printing date 02/26/2015

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely	hazardous substances):
--------------------------	------------------------

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

glass, oxide, chemicals

poly(acrylic acid)

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

• **Product related hazard informations:** Observe the general safety regulations when handling chemicals.

(Contd. on page 8)

CA

faty Data Shoat

Safety Data Sheet acc. to OSHA HCS				
Printing date 02/26/2015	Version CA-EN-Rev 1	Reviewed on 02/25/2015		
Frade name: GC Fuji IX GP (P GC Fuji IX GP CA	owder, Shade: A2) \PSULE (Powder, Shades: A2, A3, A	A3.5, B2, and B3)		
	identification regulations according to dir nt: A Chemical Safety Assessment has r			
16 Other information				
 HCS: Hazard Communication Stand MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au tr (European Agreement Concerning th ECHA: European Chemicals Agency OSHA: Occupational Safety and He IMDG: International Maritime Code f DOT: US Department of Transportal IATA: International Air Transport As: ACGIH: American Conference of GC CAS: Chemical Abstracts Service (d NFPA: National Fire Protection Asso HMIS: Hazardous Materials Identific LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative ar vPvB: very Persistent and very Bioa Sources Manufacturers' MSDSs/SDS OSHA (https://www.osha.gc TOXNET (http://toxnet.nlm.i) ECHA (http://echa.europa.e EnviChem (www.echemport Notes: CAS Registry Number is a Reg CHEMTREC® is a registered 	0900 vision 02/26/2015 / - IS: of Classification and Labelling of Chemicals ard (USA) ansport international des marchandises danger te International Carriage of Dangerous Goods by (ath Administration (USA) or Dangerous Goods ion sociation wernmental Industrial Hygienists ivision of the American Chemical Society) ociation (USA) ation System (USA) ent ad Toxic ccumulative SS w/dts/chemicalsampling/toc/chmcas.htm hih.gov/) u/) cal.org) egistered Trademark of the American Chemistr	nl) hemical Society. ry Council, Inc.		
 * Data compared to the prevolution Disclaimer: 	vious version altered. This version repl	laces all previous versions.		
The information contained recommendations or suggest or implied, on our part. There this document is accurate or of this information or the proo The information contained he	herein is believed to be true and acc ions are made without any guarantee, re efore, no warranty is made or to be imp complete, and we accordingly exclude a lucts referred to herein. All such risks are erein is also subject to change without r iment excludes or limits our liability for or out misrepresentation	epresentation or warranty, express blied that the information set out ir ill liability in connection with the use re assumed by the purchaser/user notice. For the avoidance of doubt		

our negligence or for fraudulent misrepresentation.

CA -