

SAFETY DATA SHEET**SECTION 1: IDENTIFICATION****Product Identifier**

Textured Nitrile Medical Examination Gloves, Powder-Free

Intended Use

Textured Nitrile Medical Examination are single use device intended for medical purposes that is worn on the examiner's hand or finger to prevent contamination between patient and examiner

Other Means of Identification

AMD Medicom Item Code(s): List of Products in Annex

Company Address

AMD Medicom Inc.
2555 Chemin de l'Aviation
Pointe-Claire, Montréal, Québec, H9P 2Z2

Telephone Number (Canada): 514-636-6262

Emergency Telephone Number: 1-800-361-2862

SECTION 2: HAZARD IDENTIFICATION**Biocompatibility:**

- The chemical composition of the gloves and the surface lubricating materials do not contain any substances or heavy metal normally known to be harmful to the user or to any person with whom the gloves get contact
- The glove is tested for primary skin irritation on rabbit. There was no irritation observed on the skin of the rabbits

The glove is tested for dermal sensitization assay on guinea pigs. There was no sensitization induced in the albino guinea pigs

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Sulfur, Zinc Oxide, Potassium Hydroxide, Titanium Dioxide, Anti-Oxidant, Vultamol, Zinc Dibutyl Dithiocarbamate, Calcium Nitrate Crystal, Teric 320

SECTION 4: FIRST AID MEASURES

No first aid measures required, as glove is non-hazardous

SECTION 5: FIRE FIGHTING MEASURES

No special fire measures required, as glove is non-hazardous

SECTION 6: ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7: HANDLING AND STORAGE

Caution to be taken in handling and storage

Handling:

Textured Nitrile Medical Examination Gloves are single use only. Reusing the gloves may cause contamination and infection that result in adverse effect.

Components used in producing the glove may cause allergic reactions in some people.

Do not expose this glove to any person known or suspected to be sensitive to Nitrile or components used in the manufacture of the glove

SAFETY DATA SHEET

If allergic reaction occurs, stop using and consult a physician

Storage:

Textured Nitrile Medical Examination Gloves should be kept in a cool, dry and well-ventilated area.

Avoid excessive heat (40°C-104°C)

The open box should be shielded from exposure to direct sun, fluorescent lighting and X-ray

Improper storage will decrease usable life

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Not Applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Not Applicable

SECTION 10: STABILITY AND REACTIVITY

Not Applicable

SECTION 11: TOXICOLOGICAL INFORMATION

Non-toxic, as glove is non-hazardous

SECTION 12: ECOLOGICAL INFORMATION

Not Applicable

SECTION 13: DISPOSABLE CONSIDERATIONS

Properly dispose all used gloves in accordance with local regulations and your institutions policies

SECTION 14: TRANSPORT INFORMATION

No special transportation regulations required

SECTION 15: REGULATORY INFORMATION

Textured Nitrile Medical Examination Gloves are manufactured under following Quality Management System:

- ISO 13485
- ISO 9001
- CMDR
- GMP

SECTION 16: OTHER INFORMATION

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. AMD Medicom Inc. shall not be held liable for any damage resulting from handling or from contact with the products listed in Annex.

SAFETY DATA SHEET**ANNEX: LIST OF PRODUCTS**

No.	Description
OPM-FL2	FLAMINGO NITRILE PF M
OPS-FL2	FLAMINGO NITRILE PF S
OPXS-FL2	FLAMINGO NITRILE PF XS