according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

SECTION 1 : Identification of the	e substance/preparation and of the company/undertaking		
1.1. Product identifier			
Product code	: CX/41711		
Product name	: UltraCal® XS		
Product description	: Calcium Hydroxide Paste		
1.2. Relevant identified uses of the	he substance or mixture and uses advised against		
Relevant identified uses	: Professional Dental Cavity Liner		
1.3. Details of the supplier of the	safety data sheet		
Manufacturer Ultradent Products, Inc. 505 W. 10200 S. South Jordan, UT 84095	EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDE@ultradent.com Emergency Phone: +49(0)2203-35-92-0		
1.4. Emergency telephone numb	er		
CHEMTREC (NORTH AMERICA) (INTERNATIONAL)) :(800) 424 - 9300) :+1(703) 527 - 3887		
SECTION 2: Hazards identificati	on		
2.1. Classification of the substar	ice or mixture		
Classification according to Direc	ctive 1999/45/EC		
	: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.		
Danger symbols	: C		
R phrases	: R34		
Classification according to Regu	Jation(EC) No 1272/2008 [CLP]		
Health	: Acute Toxicity (Oral), Category 4 Skin Irritation, Category 2 Eye Damage, Category 1		
2.2. Label elements			
Classification according to Direc	tive 1999/45/EC		
Hazard pictogram(s)	: C		

R& statement(s)

: R34: Causes burns.

Classification according to Regulation(EC) No 1272/2008 [CLP]

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

Hazard pictogram(s)	: Corrosive Exclamation mark
Signal Word	: DANGER
Hazard statement(s)	: H318: Causes serious eye damage. H315: Causes skin irritation.
Precautionary statement(s)	
Prevention	: P280: Wear protective gloves/protective clothing/eye protection/face protection.
Response	 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313: Get medical advice/attention. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P315: Get immediate medical advice/attention. P363: Wash contaminated clothing before reuse. P301: IF SWALLOWED: P330: Rinse mouth. P310: Immediately call a POISON CENTER or doctor/physician. P331: Do NOT induce vomiting.
Storage	: P273: Avoid release to the environment.
Disposal	: P501: Dispose of in compliance with governmental regulation. (EC1975L0442-20/11/2003

2.3. Other hazards

Conclusion The substance does not fulfill the PBT and vPvB criteria for screening assessment; there are no indications of P or B properties.

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2.		and the second second	
57	11/1	I Y II	Ires
0.2.		IAU	

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Directive 67/548/EEC	Classification according to Regulation(EC) No 1272/2008 [CLP]
Calcium Hydroxide	1305-62-0	215-137-3	≤ 35	C; R34	Skin Irr.,Cat. 2; EYE DMG.,Cat. 1; STOT SE,Cat. 3; H315; H318; H335
Barium Sulfate	7727-43-7	231-784-4	≤ 20	Xi; R 36/38	Not classified

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

Following eyes	: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.
Following skin	: Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.
Following ingestion	: If swallowed, rinse mouth with water, Do NOT Induce Vomiting. Give victim a glass of water or milk. Call a physician or poison control center if you feel unwell.
Following inhalation	: No specific treatment is necessary since this material is not likely to be hazardous by inhalation.
4.2. Most important symptoms and effective eff	ifects, both acute and delayed
Eyes	: Causes severe eye damage.
Skin	: Irritating to skin.
Ingestion	: Ingestion of this material can cause mouth, throat, esophageal, and gastrointestinal tract irritation.
Inhalation	: None expected for this product.
4.3. Indication of any immediate med	ical attention and special treatment needed
Notes to physician	: Corrosive
SECTION 5: Fire fighting measures	
5.1. Extinguishing media	
Extinguishing media	: The material is non-combustible. If involved in fire water may be used to cool the surrounding areas.
5.2. Special hazards arising from the	substance or mixture
Hazardous combustion products	: None known.
5.3. Advice for firefighters	
Fire fighting procedures	: General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective	equipment and emergency procedures
General procedures	: Refer to Section 8 for Personal Protective Equipment.
6.2. Environmental precautions	
Water spill	: Do not allow to enter sewers or drains that may lead to waterways.
6.3. Methods and material for contain	iment and cleaning up
Small Spill	: Clean up spills immediately, observing precautions in Protective Equipment section.
Large Spill	: Collect in tightly closed containers.

6.4. Reference to other sections Reference to other sections

: Not Applicable

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Handling	: Use suitable protective equipment.				
Storage	: See product la	beling.			
7.2. Conditions for safe storage, includ	ing any incompa	atibilities			
Shelf life	: See product la	beling			
7.3. Specific end use(s)					
Specific end use(s)	: Professional D	ental Cavit	y Liner		
SECTION 8: Exposure controls / perso	nal protection				
8.1. Control parameters					
Control parameters	: Calcium Hydro	xide CAS:	1305-62-0		1
	Control Param	neters		Exposure Limits	
	OSHA Maritim	e Industry		15 mg/m3 TWA	
	OSHA Genera	I Industry		15 mg/m3 TWA	
	NIOSH REL			5mg/m3 TWA	
	ACGIH TLV			5mg/m3 TWA	
	AIHA WHEEL			None	
	Calcium Hydroxide CAS: 1305-62-0 International Control Parameters <u>Canada</u>			1	
	Alberta		= 5mg/m3	TWA	
	British Columb	bia	= 5mg/m3	TWA	
	Ontario		= 5mg/m3	TWA	
	Quebec		= 5 mg/m3	3 TWAEV	
	Calcium Hydroxide CAS: 1305-62-0 Australia: 5mg/m3 TWA Mexico + 5 mg/m3 TWA				
	Barium Sulfate CAS: 7727-43-7			1	
	Control Parameters				
	ACGIH TLV	particulat		e value is for ntaining no asbestos Silica	
	NIOSH REL	10 mg/m3	3 TWA		

according to Regulation (EC) No. 453/2010

Dental Use

UltraCal® XS



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

Eye/face protection	: Wear safety glasses with side shields (or goggles) and a face shield.			
Skin protection	: Wear suitable protective clothing and gloves.			
Respiratory protection	: Good general ventilation should be sufficient to control airborne levels.			
SECTION 9: Physical and chemical pro	operties			
9.1. Information on basic physical and	chemical properties			
Physical state	: High Viscosity Paste			
Colour	: White to Off-White			
Odour	: Odorless or no characteristic odor			
рН	: 12.0 to 13.0			
Specific gravity	: 1.4 to 1.5			
9.2. Other information				
Percent volatile	: Not Volatile			
SECTION 10: Stability and reactivity				
10.1. Reactivity				
Reactivity	: Stable			
10.2. Chemical stability				
Chemical stability	: Stable when stored and handled under recommended conditions.			
10.3. Possibility of hazardous reaction	S			
Hazardous polymerization	: None			
10.4. Conditions to avoid				
Conditions to avoid	: Acidic conditions.			
10.5. Incompatible materials				
Incompatible materials	: Strong acids, metals			
10.6. Hazardous decomposition produc				
Hazardous decomposition products	: None known.			
SECTION 11: Toxicological informatio	n			
11.1. Information on toxicological effect	zts			
Acute				
Dermal LD ₅₀	: > 18000 mg/kg (Rabbit)			
Notes	: ~55% of the mixture consists of components of unknown toxicity (dermal).			
Oral LD ₅₀	: > 1200 mg/kg (mouse/rat/rabbit)			
Notes	: There are no components of unknown toxicity (Oral).			
Inhalation LC ₅₀	: Not able to calculate ATE mix (inhalation) due to lack of data on the components.			
Other information	: Device is biocompatible when used as directed by dental professionals per ISO 10993-1.			

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

SECTION 12: Ecological information	
12.1. Toxicity	
Aquatic toxicity (acute)	: Do not allow to enter sewers or drains that may lead to waterways.
12.2. Persistence and degradability	
Persistence and degradability	: Not classified
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not classified
12.4. Mobility in soil	
Mobility in soil	: Not Available
12.5. Results of PBT and vPvB assessm	nent
Results of PBT and vPvB assessment	: Conclusion The substance does not fulfill the PBT and vPvB criteria for screening assessment; there are no indications of P or B properties.
12.6. Other adverse effects	
Environmental data	: Do not flush to sewer.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Disposal method	: Dispose of in compliance with governmental regulation. (EC 1975L0442-20/11/2003)
SECTION 14: Transport information	
14.1. UN number	
UN number	: 3266
14.2. UN proper shipping name	
UN proper shipping name	: Corrosive liquid, basic inorganic, N.O.S. (Calcium hydroxide mixture)
14.3. Transport hazard class(es)	
Hazard classification	:8
14.4. Packing group	
Packing group	: 111
14.5. Environmental hazards	
Marine pollutant #1	:NAP
14.6. Special precautions for user	
ADR - road	:NAP
RID - rail	:NAP
IMDG - sea	:NAP
IATA - air	:NAP
14.7. Transport in bulk according to An	nex II of MARPOL73/78 and the IBC Code

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

Transport in bulk	: NAP		
SECTION 15: Regulatory information			
15.1. Safety, health and environmenta	al regulations/legislation specific for the substance or mixture		
General comments	: Please refer to Medical Devices Directive 93/42/EEC.		
15.2. Chemical safety assessment			
Chemical safety assessment	: See Section 11		
Additional information	: None of the ingredients are listed as a carcinogen by IARC, NTP, or CA Prop 65.		
SECTION 16: Other information			
Relevant R-phrases and/or H- statements (number and full text)	 R34: Causes burns. EYE DMG., Cat. 1: Eye Damage, Category 1 STOT SE, Cat. 3: Target Organ Toxicity (Single exposure), Category 3 Skin Irr., Cat. 2: Skin Irritation, Category 2 H315: Causes skin irritation. H318: Causes serious eye damage. H335: May cause respiratory irritation. 		
Prepared by	: Anu Kattoju		
Revision summary	: This SDS replaces the 09/29/2015 SDS. Revised: Section 1: MSDS No. Section 2: EMERGENCY OVERVIEW - IMMEDIATE CONCERNS 2.3. Other hazards. Section 3: Wt.%. Section 5: EXTINGUISHING MEDIA, FIRE FIGHTING EQUIPMENT. Section 8: . Section 9: PHYSICAL STATE, SPECIFIC GRAVITY. Section 11: ACUTE (DERMAL LD ₅₀ (rabbit), DERMAL LD ₅₀ (rabbit), DERMAL LD ₅₀ (rabbit), ORAL LD ₅₀ (rat), INHALATION LC ₅₀ (rat), ORAL LD ₅₀ (rat), ORAL LD ₅₀ (rat), ORAL LD ₅₀ (rat) ACUTE, GENERAL COMMENTS. Section 12: CHEMICAL FATE INFORMATION, DISTRIBUTION, ECOTOXICOLOGICAL INFORMATION, BIOACCUMULATION/ACCUMULATION, AQUATIC TOXICITY (ACUTE) (48- HOUR EC ₅₀ , 96-HOUR EC ₅₀), SECTION 12: Ecological information. Section 14: VESSEL (IMO/IMDG) - MARINE POLLUTANT #1 ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS SECTION 14: Transport information, ADR - road, IMDG - sea, IATA - air. Section 15: COMMENTS, GENERAL COMMENTS, RoHS. Section 16: GENERAL STATEMENTS.		
General statements	: NAP = Not Applicable NE = Not Established TLV = Threshold Limit Value PEL = Permittable exposure limits MAK = Maximum Workplace Concentration STEL = Short-term exposure limit STEV = Short-term exposure value TWA = Time Weighted Average PPE = Personal Protective Equipment		
Manufacturer disclaimer	: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and		

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/28/2012 SDS No : 10-001.12 Date Revised : 09/23/2016 Revision No : 14

UltraCal® XS

manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.