

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

**IBT Resin** 

Page 1 of 10

**SECTION 1: Identification** 

Product identifier Product name: IBT Resin Product code: FLIBCL01

Recommended use of the product and restriction on use Relevant identified uses: For use in Formlabs SLA Printer Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States Formlabs Ohio, Inc 27800 Lemoyne Rd. Suite O Millbury, Ohio 43447 +1 419-837-9783 sds@formlabs.com

Emergency telephone number: United States/Canada CHEMTREC 1-800-424-9300 (24/7)

## **SECTION 2: Hazard identification**

## **GHS** classification:

Skin irritation, category 2 Eye irritation, category 2 Skin sensitization, category 1 Specific target organ toxicity - single exposure, category 3, respiratory tract irritation Chronic aquatic hazard, category 2

## Label elements

Hazard pictograms:



Signal word: Warning

# Hazard statements:

H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

## IBT Resin

H335 May cause respiratory irritation

H411 Toxic to aquatic life with long lasting effects

## Precautionary statements:

P264 Wash skin thoroughly after handling P280 Wear protective gloves/protective clothing/eye protection/face protection P261 Avoid breathing dust/fume/gas/mist/vapours/spray P272 Contaminated work clothing should not be allowed out of the workplace P271 Use only outdoors or in a well-ventilated area P273 Avoid release to the environment P302+P352 IF ON SKIN: Wash with plenty of soap and water P332+P313 If skin irritation occurs: Get medical advice/attention P362+P364 Take off contaminated clothing and wash it before reuse P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention P333+P313 If skin irritation or rash occurs: Get medical advice/attention P363 Wash contaminated clothing before reuse P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P312 Call a POISON CENTER/doctor if you feel unwell P391 Collect spillage P403+P233 Store in a well-ventilated place. Keep container tightly closed P405 Store locked up P501 Dispose of contents/container in accordance with local/regional/national regulations

## Hazards not otherwise classified:

None

## **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: Trade Secret	Photoinitator(s)	<2
CAS number: Trade Secret	Dimethacrylate Oligomer(s)	30-50
CAS number: Trade Secret	Urethane Dimethacrylate	50-70

## Additional Information: None

## SECTION 4: First-aid measures

## **Description of first-aid measures**

## General notes:

Show this Safety Data Sheet to the doctor in attendance.

## After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

#### **IBT Resin**

#### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

## After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

## After ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

#### **Delayed symptoms and effects:**

Effects are dependent on exposure (dose, concentration, contact time).

#### Immediate medical attention and special treatment

#### **Specific treatment:**

If respiratory symptoms persist, seek medical attention.

### Notes for the doctor:

Treat symptomatically.

## SECTION 5: Fire-fighting measures

#### Extinguishing media

#### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

### Unsuitable extinguishing media:

Do not use water jet.

#### Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

## Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

## **IBT Resin**

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### **Reference to other sections:**

For personal protective equipment see Section 8. For disposal see Section 13.

#### **SECTION 7: Handling and storage**

## Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

#### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

#### **Occupational Exposure limit values:**

No occupational exposure limits noted for the ingredient(s).

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

## Information on monitoring procedures:

Not determined or not applicable.

## Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal protection equipment

## Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

#### **IBT Resin**

recognized national standards (or equivalent).

## Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

#### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance (physical state, color):	Transparent Clear Liquid
Odor:	Characteristic acrylate
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	>100°C
Flash point:	>93.5°C
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not flammable
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	1.07 g/cm3
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	1000 cps @ 40°C
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

#### **IBT Resin**

### **SECTION 10: Stability and reactivity**

#### Reactivity:

Not reactive under recommended handling and storage conditions.

## **Chemical stability:**

Stable under recommended handling and storage conditions.

## Possibility of hazardous reactions:

Stable under recommended handling and storage conditions.

#### Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials. Avoid storage >38°C (100°F) and exposure to light/direct sunlight and heat.

#### Incompatible materials:

Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

#### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available.

## Substance data:

Name	Route	Result
Urethane Dimethacrylate	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg

#### Skin corrosion/irritation

#### Assessment:

Causes skin irritation.

### Product data:

No data available.

Substance data: No data available.

#### Serious eye damage/irritation

## Assessment:

Causes eye irritation.

## Product data:

No data available.

Substance data: No data available.

#### Respiratory or skin sensitization

#### Assessment:

May cause an allergic skin reaction.

Product data:

No data available.

## Substance data:

Name Result	
-------------	--

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

## **IBT Resin**

Name	Result
Photoinitator(s)	May cause an allergic skin reaction.
Urethane Dimethacrylate	May cause an allergic skin reaction.

### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): No data available.

National Toxicology Program (NTP): No data available.

#### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

#### **Reproductive toxicity**

Assessment: Based on available data, the classification criteria are not met.

**Product data:** 

No data available.

Substance data: No data available.

### Specific target organ toxicity (single exposure)

#### Assessment:

May cause respiratory irritation.

Product data:

No data available.

Substance data: No data available.

## Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

## Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

## Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

### **IBT Resin**

## Other information:

No data available.

## **SECTION 12: Ecological information**

## Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

## Product data: No data available.

## Substance data:

Name	Result
Urethane Dimethacrylate	LC50 Danio rerio: 10.1 mg/L (96 h)
	EC50 Daphnia magna: 1.2 mg/L (48 h)

## Chronic (long-term) toxicity

## Assessment:

Toxic to aquatic life with long lasting effects.

Product data: No data available.

### Substance data:

Name	Result
Urethane Dimethacrylate	NOEC Desmodesmus subspicatus: 0.2 mg/L (72 h)

## Persistence and degradability

## Product data: No data available.

### Substance data:

Name	Result
Photoinitator(s)	This substance is not readily biodegradable.
Urethane Dimethacrylate	The substance is not readily biodegradable (22% degradation in 28 days).

## **Bioaccumulative potential**

## Product data: No data available.

## Substance data:

Name	Result
Photoinitator(s)	Bioaccumulation in organisms is not to be expected.
	The substance has moderate potential to adsorb to organic soil and sediment particles (Log Koc: 3.66).

#### Mobility in soil

## Product data: No data available.

Substance data:	
Name	Result
Photoinitator(s)	Based upon the log Koc of 3.85 an adsorption to the soil is expected.

## Results of PBT and vPvB assessment

#### Product data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance data:

### PBT assessment:

Photoinitator(s)	This substance is not PBT.
------------------	----------------------------

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

## **IBT Resin**

Page 9 of 10

Urethane Dimethacrylate	This substance is not PBT.
vPvB assessment:	
Photoinitator(s)	This substance is not vPvB.
Urethane Dimethacrylate	This substance is not vPvB.

Other adverse effects: No data available.

## SECTION 13: Disposal considerations

## **Disposal methods:**

As supplied, this material is not considered a hazardous waste under RCRA. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Do not discharge into public wastewater or surface waters. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

## Contaminated packages:

Dispose in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

## **SECTION 14: Transport information**

## Canadian Transportation of Dangerous Goods (TDG)

UN number	UN 3082	
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer	
UN transport hazard class(es)	9	
Packing group	III	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	
Additional Information	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5L or $\leq$ 5 kg provided the packaging meets the general provisions of TDG schedule 1 provision 99	

## International Maritime Dangerous Goods (IMDG)

UN number	UN 3082	
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer	
UN transport hazard class(es)	9	
Packing group	III	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	
Additional Information	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5L or $\leq$ 5 kg provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.	

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 09.14.2020

## **IBT Resin**

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 3082	
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer	
UN transport hazard class(es)	9	
Packing group	III	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	
Additional Information	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5L or 5 $\leq$ kg provided the packaging meets the general provisions of 5.0.2.4.1, 5.0.2.6.1 and 5.0.2.8.	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Bulk Name	None	
Ship type	None	
Pollution category	None	

## SECTION 15: Regulatory information

## Canada regulations

## Domestic substances list (DSL):

Trade Secret	Photoinitator(s)	Listed
Trade Secret	Dimethacrylate Oligomer(s)	Listed
Trade Secret	Urethane Dimethacrylate	Not Listed

## Non-domestic substances list (NDSL):

Trade Secret	Photoinitator(s)	Not Listed
Trade Secret	Dimethacrylate Oligomer(s)	Not Listed
Trade Secret	Urethane Dimethacrylate	Listed

## **SECTION 16: Other information**

## Abbreviations and Acronyms: None

## **Disclaimer:**

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

## Initial preparation date: 09.14.2020